

LIST OF REQUESTED TREE ACTIONS, 2018 SOUTH SECTOR v.6R (generally N to S)

Requester, Case, Manager	Tree Number on Photo	Tree Type	Requested Action	Objective	Comments
WITTER #1 Titus, 4 trees	S18-01 #1	Madrone, mature	Reduce canopy and selective thinning	Restore view of Port Townsend.	45 yds from house.
	S18-01 #2	Alder	Trim leaders	Restore water view.	In front of deck, single 25 ft tall?
	S18-01 #3	Bitter cherries copse	Trim leaders	Restore water view.	In front of deck, 3-4 saplings.
	S18-01 #4	Douglas Fir, mature	Window or make selective cuts	Restore view of Indian Island.	21 yds from house.
PANKIEWICZ #2 Loubere, 9 trees (2 duplicates)	S18-2 #1	Douglas Fir	Selective thinning and end weight reduction	Sustain water view.	Left front of deck view out onto water and Whidbey. Likely near base of bluff, not well located.
	S18-2 #2	Douglas Fir	Selective thinning and end weight reduction	Sustain water view.	Left front of deck to right of tree #1 view out onto water and Whidbey. Likely near base of bluff, not well located.
	S18-2 #3 (same as S18-4 #1)	Douglas Fir	Selective thinning and end weight reduction	Sustain water view.	Front and center from deck looking out over water. Well located, mid bluff. Same tree as S-18-4 #1.
	S18-2 #4 (same as S18-4 #2)	Douglas Fir	Selective thinning and end weight reduction	Sustain water view.	Below and to right of tree #3. Likely low on bluff, not well located. Same tree as S-18-4 #2.
	S18-2 #5	Western Red Cedar	Selective thinning and end weight reduction	Sustain water view.	To right of tree #3 and below tree #4. Need climber to help determine action. Mid bluff, easier to locate.
	S18-2 #6	Douglas Fir	Selective thinning and end weight reduction.	Sustain water view.	To right of trees 1-5 and with notable right lean of crown. Low on bluff, not well located.
	S18-2 #7	Shrubs and small deciduous trees	Reduce/remove limbs under 3" diameter.	Sustain water view.	Growing up opposite deck and just downhill. Two copses of small trees are labeled. Well located.
	S18-2 #8	Madrone	Crown reduction, end weight reduction and selective thinning.	Sustain water view.	Growing into view on left side and encroaching into water and city views. Easily located.
S18-2 #9+	Douglas Firs	Selective thinning of branches.	Sustain water view.	Open small windows to permit peak a boo view. Poorly located.	
ERICKSON #3 Kubec, 3 trees	S18-3 #1, 2	Douglas Firs	Remove two	Sustain water view.	176 yds N40°E from house (on deck). Two trees, 5-10 ft apart. Well located.
	S18-3 #3	Douglas Fir	Remove	Sustain water view.	232 yds N70°E from house (on deck). Well located.
MOSES #4 Machette, 4 trees (3 duplicates)	S18-4 #1 (same as S18-2 #3)	Douglas Fir, mature	Remove	Sustain water view.	Intruding water view by 12 ft. 88 yds N25°E from deck. Well located. Same tree as S-18-2 #3.
	S18-4 #2 (same as S18-2 #4)	Douglas Fir, immature	Remove	Sustain water view.	Below view from deck, in view from 2nd story. 69 yds from deck. Well located. Same tree as S-18-2 #4.
	S18-4 #3 (same as S18-5 #1)	Douglas Fir, mature	Remove	Sustain water view.	Same tree as S-18-5 #1 (Simpson). Intruding water view by 15 ft. 70 yds from Moses deck. Well located.
	S18-4 #4	Douglas Fir, immature	Remove	Sustain water view.	Barely in view from deck. 90 yds N38°E from deck. Well located.
SIMPSON #5 Munden, 14 trees (1 duplicate)	S18-5 #1 (same as S18-4 #1)	Douglas Fir	Widen existing window in tree if not removed by Moses.	Improve water view.	Same tree as S18-4 #1 (Moses). Currently windowed, but new loss of water view from hanging branches.
	S18-5 #2-8 (Central cluster)	Douglas Fir	Skirt up.	Improve water view.	Improve water view.
	S18-5 #9-14 (S cluster)	Douglas Fir	Skirt up.	Improve water view.	Improve water view.
WINFREY #6 Machette, 6 trees	S18-6 #1-6	Douglas Firs	Skirt up.	Improve water view.	Limbed up naturally and by owners in past.
WARD #7 Musser, 3 trees	S18-7 #1	Douglas Fir	Remove	Improve water view.	Growing in marine view corridor, taller of two. 98 yds N35°E. Marked with yellow tape.
	S18-7 #2	Douglas Fir	Trim lowest branch.	Sustain water view.	Branch hanging down into view. On KBCA property above trail, but in hazard zone. Marked with yellow tape.
	S18-7 #3	Douglas Fir	Trim 4 branches.	Improve water view.	4 branches have grown into view corridor. 90 yds N46°E from deck. Well located.
2018: 7 cases, 40 trees (3 are duplicates)			8 to be removed		